

AT300 TOW



Features & Benefits

AT TOW AT300 TOW



AT300 TOW

AT TOW


The new AT300 TOW is perfect for safely towing loads up to 3,000 kg.

Battery



- Interchangeable
- Maintenance-free
- Battery monitoring system

Strong



- FEA tested steel chassis
- Impact resistant headset
- Zinc coated steel couplings

Powerful



- Optional switchable steering mode
- Up to 3,000 kg load capacity
- 0.8 kW drive motor

Safety



- Anti-crush button
- Automatic tiller cut off
- Emergency stop button

Traction



- Internal weight packs
- Optimised size, puncture-proof wheels
- Controlled start acceleration

Technical data

AT TOW AT300 TOW

Identification

Recommended load weight- Castors	3000 kg
Recommended load weight- Rails	12000 kg
Drive type	Electric DC
Drive motor power	0.8 kW
Drive wheel type	Non-marking, puncture proof rubber
Parking brake	Electromagnetic
Braking	Regenerative
Controller type	DC
Variable machine speed	0.1 km/h - 5 km/h
IP rating for the machine	IP44

Battery options

- Battery pack - sealed - 73Ah 24V - interchangeable
- Battery pack - lithium - 79Ah 24V - fixed

Optional extras

- Option - flashing safety light and motion bleeper
- Option - machine crawl coupling assist
- Option - steer mode switch
- Option - fifth wheel
- Option - wireless control handset
- Option - two speed selector switch
- Option - battery protection system

Male coupling

- Coupling - male - pin
- Coupling - male - height adjustable tow ball - 50mm
- Coupling - male - adjustable towing arm
- Coupling - male - height adjustable box - small - horizontal

Female coupling

- Coupling - female - height adjustable box - small - horizont

Coupling options

AT TOW AT300 TOW

Z49-00600

Coupling - male - pin



Z49-00601

Coupling - male - height adjustable tow ball - 50mm




Z49-00603

Coupling - male - height adjustable box - small - hori...



Z49-00602

Coupling - male - adjustable towing arm



Z49-00700

Coupling - female - height adjustable box - small - h...



Find out **more**

Contact us today to find out which electric tug from MasterMover can help to improve efficiency and safety in your workplace.

For sales and support please contact:

SELS s.r.o.

K AMP 2025/2b
66434, Kuřim, Czech Republic

T +420 721 187 768

E petr.cermak@smartsels.com

W www.smartsels.com